

Figure 1




Figure 2(a) (Prior Art)




Figure 2(b) (Prior Art)




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7(a)

20030328-024200




Figure 7(b)



This diagram shows an exploded perspective view of a medical device assembly. The components are labeled with reference numerals: 200 (the main body), 210 (a front cap or lens), 212 (a ring or gasket), 214 (a central protrusion or lens element), 216 (a ring or gasket), 218 (a rear cap or lens), 220 (a rear flange or mounting bracket), 230 (a ring or gasket), 236 (a ring or gasket), 260 (a ring or gasket), and 262 (a ring or gasket). The assembly is shown in a disassembled state, with the components arranged along a central axis.

Figure 8








Figure 10(a)




Figure 10(b)

2025 RELEASE UNDER E.O. 14176




Figure 11

202501-8620001




Figure 12

16




Figure 13.

FIG. 14




Figure 14



202208622002




Figure 15

20040220-8620001




Figure 16




Figure 17(a)

20071201 86250001




Figure 17(b)

202420-8680001




Figure 18(a)




Figure 18(b)

202TAD-852E0001




Figure 18(c)




Figure 18 (d)




Figure 18 (e)

2024-06-06 10:00:00




Figure 19






Figure 20

514




Figure 21




Figure 22

20250320-021202




Figure 23




Figure 24